


# DoorLock-RA4-STENGEL-1 - MANUAL



ORDER-CODES:  
[KXC-RA4-STENGEL-1](#)

[DATASHEET KXC-RA4](#)

## Overview

DoorLock-RA4-STENGEL-1 is a conversion kit for Stengel IT racks to make them compatible with the DoorLock-RA4 locking solution. The set consists of 4 lock holders, which replace the lock holders fitted as standard. One set is required per door.

## Safety instructions

Installation

Installation and commissioning may only be carried out by trained specialist personnel in accordance with the instructions.

No modifications of any kind may be made to Kentix GmbH products, with the exception of those described in the relevant instructions.

When installing Kentix devices, certain degrees of protection must be guaranteed.

Observe the relevant regulations for installations in the respective environment.

Only operate the products within the defined temperature range.

The instructions should be passed on to the user by the person carrying out the installation.

Kentix accepts no liability for damage to the devices or components caused by incorrect installation. Kentix accepts no liability for incorrectly programmed units.

Kentix accepts no liability for faults, material damage or other damage.

Use of the products, transport and storage

Protect the device from

moisture, dirt and damage during transportation, storage and operation.

Battery powered products

Do not use the products in potentially explosive atmospheres.

Only operate the products within the defined temperature range.

Installation and battery replacement may only be carried out by trained specialist personnel in accordance with the instructions.

Do not charge, short-circuit, open or heat batteries.

Observe the correct polarity when inserting the batteries.

The devices must always be operated with the batteries intended for the product.

When changing the batteries, always replace all batteries.

Dispose of old or used batteries properly.

Keep batteries out of the reach of children.

Maintenance


Kentix devices must be checked for functionality as part of annual maintenance.


Disposal

Electrical appliances and batteries must be disposed of separately from household waste.

## **Installation**

### **Assembly steps**





1. Unscrew the lock holder
2. Screw on the supplied fasteners

The two upper lock holders are rotated 180° in relation to the two lower lock holders.

### **Tools required**

1. Torx® screwdriver with drive size 30