

StarterSet SmartMonitoring with MultiSensors Ethernet radio (BLE)



ORDER-CODES:

KSS-01-B, KSS-01-B

Overview

The Kentix StarterSets are complete packages for a quick and uncomplicated introduction to the innovative Kentix technology. The StarterSets contain everything you need to get started right away with the products included in the set. All you need for commissioning is a Power over Ethernet (PoE) capable network switch and a PC. The KentixONE software is already included in the components and is configured via the PC's web browser.

StarterSet for getting started with Kentix SmartMonitoring technology for seamless room and building monitoring. Can be expanded at any time with the SmartAccess, SmartVideo and SmartPDU devices. KentixONE software already integrated via web server (HTTPS) and 4G modem for redundant SMS alerting.

Monitoring of:

Temperature, humidity, climate control, smouldering fire / fire / fire gases (CO), break-in / unauthorized access, access to unauthorized sub-areas (racks / cabinets), line loss / cable defects, failure of active system components, failure of services (HTTP, SMTP, VPN etc.), defective device fans, mains voltage failure, UPS defect fault, UPS remaining runtime and capacity

- Possibility to connect up to 250 MultiSensors via LAN and radio
- Integrated 4G modem with slot for nano SIM card
- SNMP for integration into monitoring systems
- Alarming via e-mail, PUSH, SMS or SNMP trap

Commissioning

For commissioning, please follow the following operating instructions in the order in which they are listed:

1. [Start and configuration of the SiteManager](#)
2. [Commissioning of the MultiSensor-LAN](#)
3. Adding the [MultiSensor-DOOR](#) units